

**AUTOMATIZUOTOS MATAVIMŲ SISTEMOS 2025 M. RUGPJŪČIO MĖN. DUOMENŲ PALYGINIMAS
SU RIBINĖMIS VERTĖMIS**
(prie rugpjūčio mėn. protokolų)

Taršos šaltinio pavadinimas	Taršos šaltinio Nr.	CO (vidutinė mėnesio koncentracija)	Kietosios dalelės (vidutinė mėnesio koncentracija)	Apibendrinta SO ₂ koncentracija	Apibendrinta NO _x koncentracija
Gamybos padalinys Nr. 1, naftos pirminio perdirbimo komplekso LK Nr.1 įrenginio kaminas	001	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr. 1, naftos pirminio perdirbimo komplekso LK Nr.2 įrenginio kaminas	006	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr.2, mazuto giluminio perdirbimo kompleksas KT-1/1, sekcijų S-001/100 krosnių blokas	100_1	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr.2, mazuto giluminio perdirbimo kompleksas KT-1/1, sekcija S-200 (katalizinio krekingo įrenginys)	100_2	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr.2, vandenilio gamybos įrenginio kaminas.	104	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Šiluminės elektrinės kaminas	301	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Elementinės sieros gamybos įrenginio Nr.1 kaminas	015	-	-	*	-
Elementinės sieros gamybos įrenginio Nr.2 kaminas	108	-	-	*	-
Apibendrinta SO ₂ koncentracija pagal 58 GPGB	-	-	-	Neviršijo vidutinės mėnesio ribinės vertės	-
Apibendrinta NO _x koncentracija pagal 57 GPGB	-	-	-	-	Neviršijo vidutinės mėnesio ribinės vertės

* - Katalizinio krekingo proceso įrenginio ir kurą deginančių įrenginių pagal 58 GPGB numatomas normatyvas (vienkartinis dydis, išreikštas mg/Nm³ (mėnesio vidutinė vertė)), nurodytas kaip apibendrinta SO₂ vertė visiems dešimčiai susijusių taršos šaltinių (a.t.š. Nr.001, 006, 100_1, 100_2, 104, 011, 157, 301, 015, 108).

** - Katalizinio krekingo proceso įrenginio ir kurą deginančių įrenginių pagal 57 GPGB numatomas normatyvas (vienkartinis dydis, išreikštas mg/Nm³ (mėnesio vidutinė vertė)), nurodytas kaip apibendrinta NO_x vertė visiems aštuoniems susijusiems taršos šaltiniams (a.t.š. Nr.001, 006, 100_1, 100_2, 104, 011, 157, 301).

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	50			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	3,1	189,2	0,7	18,6	9,8	171100	107324
02.08.25	4,7	176,7	0,0	20,6	9,9	175352	108948
03.08.25	3,4	172,2	0,0	18,3	9,7	171229	108482
04.08.25	4,3	173,4	0,0	20,4	9,9	176359	109679
05.08.25	4,2	175,5	0,0	22,6	9,9	181900	113274
06.08.25	2,3	185,9	0,0	22,6	10,0	187267	115284
07.08.25	1,8	189,0	0,0	22,2	10,1	188785	114885
08.08.25	2,4	182,1	0,0	22,8	10,0	187090	114824
09.08.25	2,6	178,3	0,0	20,7	9,9	183691	113767
10.08.25	4,9	178,0	0,0	23,2	10,4	192976	113692
11.08.25	4,3	178,6	0,0	23,3	10,5	187256	110326
12.08.25	2,6	173,6	0,0	22,6	10,4	188079	111483
13.08.25	2,8	179,7	0,0	20,6	10,3	188796	112331
14.08.25	5,0	175,4	0,0	21,2	10,3	182213	108814
15.08.25	4,5	171,3	0,0	22,7	10,3	178904	107194
16.08.25	4,0	178,0	0,0	23,0	10,5	186712	109211
17.08.25	5,1	182,2	0,0	25,1	10,6	194185	113100
18.08.25	6,1	178,0	0,0	23,7	10,3	188863	112513
19.08.25	4,8	173,1	0,0	23,6	10,2	185649	112208
20.08.25	3,8	179,8	0,0	22,8	10,3	192545	115129
21.08.25	2,2	185,6	0,0	22,5	10,3	193532	115990
22.08.25	2,9	176,8	0,0	24,8	10,1	188400	114486
23.08.25	1,8	182,3	0,0	24,3	10,3	195432	117145
24.08.25	3,5	175,8	0,0	27,7	10,2	196962	119047
25.08.25	2,7	178,4	0,0	26,7	10,2	198162	119573
26.08.25	2,1	179,3	0,0	25,3	10,2	202887	122733
27.08.25	2,0	182,5	0,0	23,7	10,1	202904	122881
28.08.25	3,7	176,2	0,0	23,7	10,2	195128	118045
29.08.25	3,7	165,1	0,0	23,5	10,1	186214	113855
30.08.25	3,9	168,5	0,0	23,4	10,2	188554	113756
31.08.25	2,8	175,9	0,0	22,2	10,3	192760	115007
min	1,8	165,1	0,0	18,3	9,7	171100	107194
max	6,1	189,2	0,7	27,7	10,6	202904	122881
AVG	3,5	178,0	0,0	22,8	10,2	188061	113709
-----	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	293,8	15059,1	1,9	1938,0	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57)

calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58)

calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	26			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	2,0	140,7	33,5	0,8	5,1	159900	144347
02.08.25	2,0	135,0	29,1	0,8	5,0	164397	149344
03.08.25	2,1	138,0	31,9	0,8	5,0	166208	151146
04.08.25	1,9	134,6	28,7	0,8	4,9	168350	153205
05.08.25	1,9	138,5	26,3	0,8	5,0	181176	164146
06.08.25	1,9	145,4	29,6	0,8	5,3	176724	157557
07.08.25	2,0	145,9	30,8	0,9	5,3	170874	152462
08.08.25	1,9	142,9	25,0	0,8	5,0	171064	154860
09.08.25	2,0	146,6	24,7	0,8	5,0	171944	155803
10.08.25	2,0	143,1	23,8	0,8	5,0	171989	155921
11.08.25	1,9	149,7	34,0	0,9	5,3	168301	149515
12.08.25	2,1	154,3	32,7	0,8	5,4	172530	151539
13.08.25	2,0	156,1	29,7	0,8	5,2	180093	159337
14.08.25	2,1	150,9	33,5	0,8	5,0	169294	152305
15.08.25	2,0	150,3	37,8	0,7	5,0	166908	150403
16.08.25	1,8	154,7	45,0	0,8	5,2	176354	157056
17.08.25	1,8	154,2	38,7	0,8	5,0	178152	160247
18.08.25	1,9	156,7	35,0	0,8	4,9	182776	165309
19.08.25	2,1	153,4	36,2	0,7	5,0	173646	157011
20.08.25	1,8	154,4	34,3	0,8	5,0	181818	163760
21.08.25	1,9	157,2	35,1	0,8	5,0	180452	162420
22.08.25	1,8	153,2	36,5	0,8	4,9	180726	163725
23.08.25	1,8	152,3	34,5	0,8	5,0	181916	164285
24.08.25	1,8	149,6	30,2	0,9	4,9	189920	172289
25.08.25	1,8	151,5	30,2	0,8	5,0	190939	172255
26.08.25	1,8	152,1	30,1	0,8	5,0	197445	177494
27.08.25	1,9	151,2	58,7	0,8	4,7	193052	176477
28.08.25	1,8	145,9	32,1	0,8	4,8	185079	168812
29.08.25	2,0	145,1	46,0	0,8	5,1	199336	178713
30.08.25	1,9	146,4	51,6	1,0	5,2	208613	184955
31.08.25	2,0	147,0	40,0	0,9	5,3	220704	194286
min	1,8	134,6	23,8	0,7	4,7	159900	144347
max	2,1	157,2	58,7	1,0	5,4	220704	194286
AVG	1,9	148,3	34,4	0,8	5,0	180022	161967
-----	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	230,6	17881,4	4168,5	97,2	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57)

calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58)

calculated in proportion in every measurement point determined flow rate.

KT-1/1, S-001/100 (poz. AT5-454). T.š. 100_1

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	26			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	36,0	209,3	402,3	0,7	6,6	142883	116195
02.08.25	35,1	221,2	366,3	0,7	6,6	141497	114935
03.08.25	30,3	211,9	370,0	0,7	6,4	141217	115919
04.08.25	11,0	209,0	290,2	0,9	6,3	141039	116914
05.08.25	2,9	205,1	224,9	0,9	6,4	138916	113982
06.08.25	3,3	231,8	282,9	1,2	6,4	142185	116636
07.08.25	3,8	238,1	267,6	1,1	6,5	141122	114993
08.08.25	7,6	232,9	283,7	1,0	6,5	138550	113063
09.08.25	7,1	227,2	271,7	0,8	6,5	133442	109381
10.08.25	9,1	215,4	304,9	1,1	6,2	134256	112412
11.08.25	8,6	221,3	297,9	1,2	6,3	134775	112084
12.08.25	17,5	214,9	366,3	1,2	6,1	137919	115945
13.08.25	17,2	227,3	336,1	1,3	6,1	141786	119346
14.08.25	8,5	223,3	313,7	1,3	5,9	137269	116517
15.08.25	12,5	219,1	326,7	1,3	5,9	137818	117194
16.08.25	3,6	224,1	282,0	1,6	5,7	141048	121236
17.08.25	3,0	241,9	286,7	1,9	5,9	141160	120305
18.08.25	2,4	253,6	319,6	2,0	5,9	141305	120380
19.08.25	0,4	245,2	298,5	1,9	5,7	137897	118902
20.08.25	4,0	241,8	348,2	2,0	5,8	139520	119271
21.08.25	1,0	260,7	336,2	1,9	6,0	140737	119158
22.08.25	2,9	255,2	362,7	1,8	6,0	141764	119498
23.08.25	3,0	250,3	319,8	2,0	5,8	144968	124194
24.08.25	0,9	242,6	282,5	2,1	5,7	145331	125563
25.08.25	3,0	240,9	315,8	1,7	6,2	143909	120038
26.08.25	1,1	236,2	273,4	1,6	6,3	141624	117218
27.08.25	1,7	228,8	258,6	1,7	5,9	138166	117759
28.08.25	1,6	223,4	256,1	1,7	5,7	137908	118622
29.08.25	1,4	208,5	254,7	1,6	5,6	133060	115314
30.08.25	5,5	202,3	275,9	1,7	5,8	134137	115117
31.08.25	8,1	201,5	256,3	1,5	5,8	136156	116443
min	0,4	201,5	224,9	0,7	5,6	133060	109381
max	36,0	260,7	402,3	2,1	6,6	145331	125563
AVG	8,2	227,9	304,3	1,4	6,1	139463	117243
-----	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	707,6	19897,4	26540,5	124,9	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57) calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	50			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	16,8	41,9	10,0	17,8	1,6	167060	183134
02.08.25	20,3	43,2	5,6	16,1	1,9	162785	175984
03.08.25	19,0	42,1	13,2	17,6	1,7	166952	182279
04.08.25	20,9	41,5	17,6	17,2	1,9	172469	186538
05.08.25	17,7	44,5	17,4	14,0	1,9	171645	185728
06.08.25	16,8	44,7	22,2	13,0	1,8	176300	191615
07.08.25	14,6	48,6	18,6	13,8	1,9	179978	194294
08.08.25	14,4	47,1	15,2	13,5	1,8	176562	191833
09.08.25	15,4	45,6	17,0	12,7	1,8	182292	198228
10.08.25	18,5	41,8	15,9	13,2	1,8	179356	195028
11.08.25	17,1	44,1	17,1	13,4	1,8	177601	192550
12.08.25	15,0	45,7	16,4	14,0	2,0	174983	188415
13.08.25	13,4	48,9	13,0	17,1	2,0	177512	190385
14.08.25	11,0	52,9	22,0	14,1	1,9	183230	198201
15.08.25	11,1	51,5	15,7	14,8	1,7	183246	199829
16.08.25	13,0	51,1	11,1	16,3	1,8	181716	196890
17.08.25	13,3	51,6	18,0	15,1	1,7	177228	192887
18.08.25	12,9	51,4	20,2	12,8	1,8	185639	201774
19.08.25	13,6	47,4	20,9	11,8	1,6	184808	202265
20.08.25	15,4	46,6	21,2	13,2	1,8	182208	197937
21.08.25	15,9	44,9	17,9	12,8	1,7	181733	198221
22.08.25	15,7	46,5	19,1	11,7	1,8	177497	192282
23.08.25	14,8	48,4	22,6	12,2	1,7	174276	190241
24.08.25	13,2	51,5	23,4	12,2	1,8	177336	192205
25.08.25	14,9	49,7	41,3	11,9	1,9	176076	190507
26.08.25	18,8	44,8	89,4	9,5	1,9	170306	184497
27.08.25	20,0	39,8	92,5	7,9	1,8	173341	188626
28.08.25	20,7	38,8	83,5	8,2	1,8	179902	195296
29.08.25	19,1	43,4	102,9	8,6	1,9	183819	197994
30.08.25	16,2	49,9	118,0	7,9	2,2	183145	194873
31.08.25	15,7	45,1	113,6	8,2	1,9	174206	187900
min	11,0	38,8	5,6	7,9	1,6	162785	175984
max	20,9	52,9	118,0	17,8	2,2	185639	202265
AVG	16,0	46,3	33,9	13,0	1,8	177265	192208
	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	2275,8	6627,1	4859,2	1852,9	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57) calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	26			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	1,6	113,6	2,5	3,2	5,7	77936	69078
02.08.25	2,3	113,1	3,0	3,1	5,8	78039	68743
03.08.25	2,1	112,1	3,8	3,2	5,9	78394	68511
04.08.25	2,2	111,3	3,6	3,1	5,6	79308	70628
05.08.25	2,1	98,6	3,0	3,0	4,9	79108	73608
06.08.25	1,9	101,3	1,7	3,0	5,1	80429	73871
07.08.25	1,8	105,1	1,2	3,0	5,3	80362	73130
08.08.25	1,7	102,7	2,2	3,0	5,1	79834	73261
09.08.25	1,8	96,1	2,5	2,9	4,8	79434	74297
10.08.25	1,7	95,0	2,5	2,9	4,9	78859	73675
11.08.25	1,8	98,9	1,8	2,9	4,6	81825	77421
12.08.25	1,7	100,1	1,9	2,9	4,5	83080	78985
13.08.25	1,8	99,4	1,6	2,9	4,5	83990	79874
14.08.25	1,9	96,2	1,7	2,9	4,4	82823	79402
15.08.25	2,3	95,2	2,6	2,9	4,3	82453	79495
16.08.25	2,2	99,2	2,4	2,9	4,5	83202	79444
17.08.25	1,9	101,2	1,0	2,9	4,4	84739	80924
18.08.25	1,8	93,6	1,2	2,9	4,2	85779	82883
19.08.25	1,9	95,6	2,0	2,9	4,5	83912	79792
20.08.25	2,0	100,2	1,1	2,9	4,5	85111	80972
21.08.25	1,9	100,5	0,1	2,9	4,4	84777	81316
22.08.25	1,8	97,9	1,5	2,9	4,3	84187	80904
23.08.25	1,8	103,6	0,8	3,0	4,7	85356	80450
24.08.25	1,9	102,5	1,4	3,0	4,5	84525	80314
25.08.25	2,2	104,2	1,1	2,9	4,6	84898	80340
26.08.25	2,1	96,7	0,8	2,9	4,3	83865	80906
27.08.25	2,1	103,1	0,5	2,9	4,6	84346	79873
28.08.25	2,1	95,4	2,0	2,9	4,5	82439	78348
29.08.25	1,8	89,9	4,0	2,9	4,4	81575	78340
30.08.25	1,8	94,9	4,2	2,9	4,5	82259	78281
31.08.25	1,7	94,3	3,8	2,9	4,7	82233	77563
min	1,6	89,9	0,1	2,9	4,2	77936	68511
max	2,3	113,6	4,2	3,2	5,9	85779	82883
AVG	1,9	100,4	2,0	3,0	4,7	82228	77246
-----	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	111,1	5756,9	115,5	169,8	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57) calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	50			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	0,2	311,0	184,2	27,7	5,7	188395	161495
02.08.25	0,0	266,3	131,1	18,6	6,1	161382	135578
03.08.25	0,0	264,2	94,5	13,5	6,2	152764	127501
04.08.25	0,0	316,2	248,4	18,2	5,9	171206	145570
05.08.25	7,8	274,1	334,5	18,7	6,3	176503	142368
06.08.25	3,7	351,5	489,6	26,6	6,0	156214	132356
07.08.25	2,6	346,9	453,5	28,8	5,7	158763	137357
08.08.25	68,2	362,2	505,6	33,9	5,3	175873	155625
09.08.25	4,2	360,3	388,5	27,8	5,8	173390	148883
10.08.25	7,9	277,0	337,8	31,1	6,1	154857	130706
11.08.25	5,0	349,5	356,7	35,6	6,1	170296	143423
12.08.25	9,4	320,7	372,5	54,1	6,0	203978	164021
13.08.25	0,6	283,9	281,7	57,0	5,6	191426	165517
14.08.25	1,4	297,2	207,9	49,7	5,6	193324	167655
15.08.25	0,5	258,3	190,2	47,1	6,0	165975	139875
16.08.25	0,0	211,5	143,0	37,0	6,4	151366	124195
17.08.25	0,0	233,1	254,4	46,4	6,2	164649	136869
18.08.25	0,1	294,2	294,4	41,6	5,8	189683	161556
19.08.25	0,8	246,4	206,9	28,0	6,3	162903	135008
20.08.25	3,4	278,7	254,1	25,4	6,2	179647	149685
21.08.25	1,2	329,6	238,7	27,4	5,7	197373	169791
22.08.25	0,0	349,3	323,9	35,0	5,5	205888	179406
23.08.25	0,0	267,6	246,1	33,6	6,3	170521	141242
24.08.25	0,9	254,3	276,4	41,0	5,8	167767	142834
25.08.25	0,0	354,0	281,3	46,1	5,6	203283	175418
26.08.25	0,0	393,5	308,5	54,0	5,5	219421	189325
27.08.25	0,1	357,7	312,9	49,7	5,7	210620	180305
28.08.25	0,5	391,8	366,7	49,0	5,4	231884	202851
29.08.25	0,0	335,4	388,8	43,3	5,6	212761	183649
30.08.25	0,0	314,2	384,0	50,0	5,6	206656	177960
31.08.25	0,0	329,3	358,3	60,9	5,6	198970	172058
min	0,0	211,5	94,5	13,5	5,3	151366	124195
max	68,2	393,5	505,6	60,9	6,4	231884	202851
AVG	3,8	309,0	297,3	37,3	5,9	182830	155487
-----	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	487,8	37632,2	35671,4	4545,6	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57) calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

SGI-1, kaminas (poz. SGI-1ch). T.š. 015

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	SO ₂	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	1482.34**			
Time	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	17912,5	3,8	20296	20006
02.08.25	18953,9	4,5	22497	21226
03.08.25	19049,6	4,6	21636	20329
04.08.25	18218,6	4,4	19658	18798
05.08.25	17978,4	4,3	17744	17085
06.08.25	20911,8	5,0	21618	19704
07.08.25	19286,6	4,8	21015	19518
08.08.25	18858,0	4,6	19254	18198
09.08.25	18951,6	4,3	21790	20814
10.08.25	19298,1	5,2	20810	18778
11.08.25	19535,2	4,8	22309	20781
12.08.25	19159,2	4,1	24138	23275
13.08.25	19555,4	4,8	22845	21174
14.08.25	19484,7	4,4	23471	22245
15.08.25	19300,5	4,4	23731	22510
16.08.25	20197,1	5,0	23036	21092
17.08.25	21328,7	5,0	23278	21305
18.08.25	20903,3	4,8	23337	21583
19.08.25	20167,4	4,7	23503	21886
20.08.25	19777,4	4,4	24008	22696
21.08.25	19650,6	4,1	24887	24010
22.08.25	19950,2	4,1	24490	23556
23.08.25	19402,6	4,7	23347	21666
24.08.25	20314,5	4,9	22668	20838
25.08.25	20765,4	5,0	22726	20769
26.08.25	21318,0	5,8	20627	18027
27.08.25	18838,4	4,4	19296	18390
28.08.25	19662,2	4,5	19495	18541
29.08.25	18264,7	3,7	20271	20146
30.08.25	18496,8	3,9	21024	20555
31.08.25	19201,0	5,0	19305	17716
min	17912,5	3,7	17744	17085
max	21328,7	5,8	24887	24010
AVG	19506,2	4,6	21875	20555
	kg/mon			
EMI	298301,8			

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

SGI-2, kaminas (poz. SGI-2ch). T.š. 108

Monthly-Protocol from 01-08-2025 to 31.08.2025

Daily averages

	SO ₂	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	1482.34**			
Time	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01.08.25	25069,1	2,8	13018	9274
02.08.25	25889,5	3,7	13106	8910
03.08.25	27020,5	3,9	13692	9430
04.08.25	25942,0	4,3	13731	9271
05.08.25	24850,4	3,7	13944	9925
06.08.25	26402,9	5,3	13393	8056
07.08.25	25964,4	3,8	14063	10003
08.08.25	30317,9	3,0	14982	11635
09.08.25	27217,1	3,6	12624	8803
10.08.25	24866,0	2,8	12348	9024
11.08.25	24834,7	2,6	13264	10141
12.08.25	25233,7	2,8	14294	11062
13.08.25	25144,3	3,1	14197	10730
14.08.25	25494,1	2,9	14289	11080
15.08.25	25061,3	2,7	14376	11383
16.08.25	25495,9	2,9	14244	11044
17.08.25	25720,1	2,8	14538	11221
18.08.25	26214,6	2,8	14513	11272
19.08.25	26563,7	3,0	14201	10861
20.08.25	26976,5	3,8	13552	9609
21.08.25	28219,9	3,3	14173	10420
22.08.25	28201,7	2,9	14584	11171
23.08.25	26990,0	2,8	16319	10828
24.08.25	27312,7	2,4	17986	10731
25.08.25	29986,1	2,8	17819	10271
26.08.25	30215,1	2,8	17724	10088
27.08.25	29074,4	3,3	15984	10045
28.08.25	27465,7	3,7	13830	10154
29.08.25	27299,4	3,6	13395	10158
30.08.25	27618,1	3,7	13212	10168
31.08.25	27039,3	3,9	13302	10046
min	24834,7	2,4	12348	8056
max	30317,9	5,3	17986	11635
AVG	26764,5	3,3	14345	10220
-----	kg/mon	-----	-----	-----
EMI	203520,9	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

Apibendrinta SO₂ verte pagal 58 GPGB, (SO₂ bubble concerned units)

Monthly-Protocol from 01-08-2025 to 31.08.2025
daily averages

	SO ₂ BAT58	Flow O ₂ BAT58
Limit value, mg/Nm ³	1482.34 **	
Time	mg/Nm ³	Nm ³ /h
01.08.25	823,2	827970
02.08.25	880,6	800784
03.08.25	886,7	800716
04.08.25	804,7	827722
05.08.25	765,5	837234
06.08.25	886,1	832197
07.08.25	891,2	833761
08.08.25	965,6	850417
09.08.25	869,3	847095
10.08.25	820,2	826355
11.08.25	907,4	833360
12.08.25	979,4	861844
13.08.25	897,5	875812
14.08.25	924,9	873336
15.08.25	947,6	845001
16.08.25	925,6	837285
17.08.25	969,8	853977
18.08.25	951,4	894388
19.08.25	948,1	855052
20.08.25	919,1	876176
21.08.25	960,4	898444
22.08.25	1003,6	902147
23.08.25	929,5	867169
24.08.25	916,1	880938
25.08.25	934,1	906289
26.08.25	875,8	917405
27.08.25	834,4	911474
28.08.25	837,7	927787
29.08.25	857,3	915287
30.08.25	878,9	912784
31.08.25	815,5	908137
min	765,5	800716
max	1003,6	927787
AVG	897,0	865753
-----	kg/mon	-----
EMI	577580,8	-----

(N)o data (M)aintenance (E)rror (F)ault (S)ubstitute Value (-)Out of operation

(X) No Daily-average (L) Month-Limit-value-Overflow

** single measured value of sulphur dioxide is given in general for all

concerned units ((No. 001,006,301,100_1,100_2,104,011,157,015,108) according BAT 58)

and is calculated in proportion in every measurement point determined flow rate.

Apibendrinta NO_x verte pagal 57 GPGB, (NO_x bubble concerned units)

Monthly-Protocol from 01-08-2025 to 31.08.2025
daily averages

	NO ₂ BAT57	Flow O ₂ BAT57
Limit value, mg/Nm ³	256.39 *	
Time	mg/Nm ³	Nm ³ /h
01.08.25	167,8	798691
02.08.25	154,2	770649
03.08.25	149,2	770957
04.08.25	160,2	799653
05.08.25	151,2	810224
06.08.25	168,9	804436
07.08.25	171,8	804239
08.08.25	177,1	820584
09.08.25	171,5	817478
10.08.25	150,3	798553
11.08.25	170,9	802438
12.08.25	168,4	827506
13.08.25	165,6	843908
14.08.25	167,8	840011
15.08.25	152,0	811109
16.08.25	145,4	805149
17.08.25	153,9	821451
18.08.25	169,3	861534
19.08.25	153,6	822305
20.08.25	162,8	843871
21.08.25	179,4	864014
22.08.25	184,4	867420
23.08.25	163,3	834675
24.08.25	157,4	849370
25.08.25	184,8	875249
26.08.25	191,1	889290
27.08.25	181,5	883038
28.08.25	191,0	899092
29.08.25	169,7	884983
30.08.25	165,7	882060
31.08.25	171,8	880375
min	145,4	770649
max	191,1	899092
AVG	166,8	834978
-----	kg/mon	-----
EMI	104276,7	-----

(N)o data (M)aintenance (E)rror (F)ault (S)ubstitute Value (-)Out of operation

(X) No Daily-average (L) Month-Limit-value-Overflow

* single measured value of nitrogen oxides is given in general for all

concerned units ((No. 001,006,301,100_1,100_2,104,011,157) according BAT 57)

and is calculated in proportion in every measurement point determined flow rate.