

**AUTOMATIZUOTOS MATAVIMŲ SISTEMOS 2026 M. RUGSĖJO MĖN. DUOMENŲ PALYGINIMAS
SU RIBINĖMIS VERTĖMIS**
(prie rugsėjo mėn. protokolų)

Taršos šaltinio pavadinimas	Taršos šaltinio Nr.	CO (vidutinė mėnesio koncentracija)	Kietosios dalelės (vidutinė mėnesio koncentracija)	Apibendrinta SO₂ koncentracija	Apibendrinta NO_x koncentracija
Gamybos padalinys Nr.1, naftos pirminio perdirbimo komplekso LK Nr.1 įrenginio kaminas	001	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr.1, naftos pirminio perdirbimo komplekso LK Nr.2 įrenginio kaminas	006	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr.2, mazuto giluminio perdirbimo kompleksas KT-1/1, sekcijų S-001/100 krosnių blokas	100_1	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr.2, mazuto giluminio perdirbimo kompleksas KT-1/1, sekcija S-200 (katalizinio krekingo įrenginys)	100_2	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Gamybos padalinys Nr.2, vandenilio gamybos įrenginio kaminas.	104	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Šiluminės elektrinės kaminas	301	Neviršijo vidutinės mėnesio ribinės vertės	Neviršijo vidutinės mėnesio ribinės vertės	*	**
Elementinės sieros gamybos įrenginio Nr.1 kaminas	015	-	-	*	-
Elementinės sieros gamybos įrenginio Nr.2 kaminas	108	-	-	*	-
Apibendrinta SO ₂ koncentracija pagal 58 GPGB	-	-	-	Neviršijo vidutinės mėnesio ribinės vertės	-
Apibendrinta NO _x koncentracija pagal 57 GPGB	-	-	-	-	Neviršijo vidutinės mėnesio ribinės vertės

* - Katalizinio krekingo proceso įrenginio ir kurą deginančių įrenginių pagal 58 GPGB numatomas normatyvas (vienkartinis dydis, išreikštas mg/Nm³ (mėnesio vidutinė vertė)), nurodytas kaip apibendrinta SO₂ vertė visiems dešimčiai susijusių taršos šaltinių (a.t.š. Nr.001, 006, 100_1, 100_2, 104, 011, 157, 301, 015, 108).

** - Katalizinio krekingo proceso įrenginio ir kurą deginančių įrenginių pagal 57 GPGB numatomas normatyvas (vienkartinis dydis, išreikštas mg/Nm³ (mėnesio vidutinė vertė)), nurodytas kaip apibendrinta NO_x vertė visiems aštuoniems susijusiems taršos šaltiniams (a.t.š. Nr.001, 006, 100_1, 100_2, 104, 011, 157, 301).

Monthly-Protocol from 01-09-2026 to 30-09-2026

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	26			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	15,0	159,8	52,6	3,3	13,6	210127	87688
02-09-26	24,3	130,7	79,7	3,4	15,6	205167	61320
03-09-26	15,7	165,6	75,9	3,3	15,5	218984	66587
04-09-26	30,5	182,9	35,8	4,1	11,8	201040	102310
05-09-26	6,4	184,2	28,4	2,0	10,3	200528	120045
06-09-26	6,5	190,0	25,1	1,7	10,4	197132	116427
07-09-26	6,5	188,5	26,8	1,5	10,4	195212	115651
08-09-26	6,5	188,1	24,7	1,8	10,5	197816	116245
09-09-26	8,8	184,1	32,2	2,0	10,7	195580	112015
10-09-26	9,0	188,2	25,2	2,6	10,8	200126	113273
11-09-26	13,2	192,5	27,4	2,6	10,8	195178	110519
12-09-26	15,4	187,8	29,3	2,7	10,8	184258	104584
13-09-26	16,3	186,1	32,4	2,8	10,8	190452	107985
14-09-26	11,9	183,9	35,5	2,4	10,7	185504	106685
15-09-26	6,9	191,2	28,2	2,2	10,8	195464	111193
16-09-26	6,8	185,5	24,6	2,2	10,6	188582	109146
17-09-26	6,5	182,9	23,8	1,8	10,5	187642	110287
18-09-26	6,6	182,2	23,1	2,1	10,5	189037	110895
19-09-26	6,4	185,4	22,5	1,7	10,2	199998	119946
20-09-26	6,5	186,5	22,8	2,0	10,4	195461	115715
21-09-26	6,5	188,9	21,1	1,6	10,4	200446	118339
22-09-26	6,6	195,7	19,7	1,5	10,4	211390	124392
23-09-26	6,7	200,6	21,6	1,7	10,6	207933	120172
24-09-26	6,6	186,3	22,0	1,7	10,5	197898	115760
25-09-26	6,6	187,0	20,7	2,2	10,5	200782	117913
26-09-26	6,6	185,8	21,9	2,3	10,4	198444	117010
27-09-26	6,8	199,4	18,6	1,8	10,7	201540	115332
28-09-26	6,5	190,6	17,5	2,0	10,3	193274	115282
29-09-26	6,4	184,7	18,3	1,9	10,1	197727	120331
30-09-26	6,3	180,1	18,7	1,8	10,1	196981	120112
min	6,3	130,7	17,5	1,5	10,1	184258	61320
max	30,5	200,6	79,7	4,1	15,6	218984	124392
AVG	9,7	184,2	29,2	2,2	11,0	197990	110105
	kg/mon	kg/mon	kg/mon	kg/mon			
EMI	727,7	14716,8	2150,3	170,3			

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57) calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-09-2026 to 30-09-2026

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	26			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	0,9	132,6	0,0	0,1	5,2	212641	186639
02-09-26	0,6	136,2	0,0	0,1	5,2	205752	181003
03-09-26	0,1	135,6	0,0	0,1	5,3	194720	171573
04-09-26	0,1	130,8	0,0	0,1	5,3	191130	168369
05-09-26	0,0	131,7	0,0	0,1	5,3	215900	188877
06-09-26	0,0	135,5	0,0	0,1	5,2	217203	190416
07-09-26	0,1	134,3	0,0	0,1	5,2	209591	184102
08-09-26	0,1	137,3	0,0	0,1	5,5	223062	190855
09-09-26	0,2	133,3	0,0	0,1	5,6	232946	198119
10-09-26	0,0	139,5	134,9	0,1	5,8	230177	192983
11-09-26	0,0	140,9	0,2	0,1	5,9	231221	192014
12-09-26	0,1	139,0	1,0	0,1	5,6	214615	182737
13-09-26	0,0	138,5	0,1	0,3	5,9	238854	196095
14-09-26	0,0	132,0	0,0	0,6	8,0	320381	195733
15-09-26	0,0	133,5	0,0	0,6	8,1	332266	200779
16-09-26	0,0	131,5	0,0	0,6	8,2	330295	196820
17-09-26	0,1	135,3	0,3	0,4	7,4	287548	191306
18-09-26	0,0	139,9	0,0	0,1	5,6	223460	189950
19-09-26	0,0	143,9	0,0	0,1	5,8	254287	212696
20-09-26	0,0	138,9	0,0	0,1	5,9	236500	197512
21-09-26	0,0	139,9	0,0	0,1	5,8	229564	193304
22-09-26	0,0	140,9	0,0	0,1	5,6	250105	212554
23-09-26	0,0	141,1	0,0	0,1	5,6	234992	199056
24-09-26	0,0	137,9	0,0	0,1	5,5	239573	204732
25-09-26	0,0	138,3	0,0	0,1	5,5	233973	199852
26-09-26	0,0	137,2	0,0	0,1	5,5	230779	197697
27-09-26	0,0	142,0	0,0	0,1	5,6	224122	189658
28-09-26	0,0	137,4	0,0	0,1	5,4	211017	181198
29-09-26	0,0	132,6	0,0	0,1	5,4	223160	191764
30-09-26	0,0	129,6	0,0	0,1	5,4	220553	190152
min	0,0	129,6	0,0	0,1	5,2	191130	168369
max	0,9	143,9	134,9	0,6	8,2	332266	212696
AVG	0,1	136,6	4,5	0,2	5,8	236680	192285
	kg/mon	kg/mon	kg/mon	kg/mon			
EMI	10,1	18919,4	649,6	23,6			

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57)

calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58)

calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-09-2026 to 30-09-2026

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	26			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	3,6	170,8	90,0	2,8	7,5	161565	121301
02-09-26	2,5	158,4	133,0	2,7	7,6	159302	119171
03-09-26	2,7	160,7	178,7	2,5	8,2	152115	108707
04-09-26	4,9	150,8	210,3	2,7	7,8	155777	114876
05-09-26	4,3	154,4	165,2	2,8	7,5	159209	119303
06-09-26	2,4	169,5	171,9	2,8	7,9	163512	118841
07-09-26	2,2	162,1	167,6	2,6	8,0	164316	119187
08-09-26	2,3	161,4	249,6	2,3	8,1	160832	115647
09-09-26	4,8	145,8	377,4	2,1	6,9	149022	117084
10-09-26	1,7	146,0	338,0	2,6	6,0	147132	123037
11-09-26	1,9	164,4	310,7	2,5	6,6	150440	120725
12-09-26	1,6	160,1	331,4	2,2	6,8	151363	120016
13-09-26	1,6	163,3	350,4	2,2	6,9	150628	118828
14-09-26	2,1	156,5	496,6	2,0	6,8	149471	118314
15-09-26	2,5	159,1	360,4	2,1	6,9	152796	119694
16-09-26	2,1	150,1	388,0	2,0	6,8	148950	118353
17-09-26	4,5	148,5	383,8	2,2	6,5	148036	119365
18-09-26	1,2	162,5	374,3	2,2	6,6	149832	120083
19-09-26	1,1	159,8	314,6	2,2	6,2	151624	125043
20-09-26	1,3	154,1	300,7	2,3	6,2	150509	124077
21-09-26	1,0	148,2	308,4	2,3	6,2	152107	125558
22-09-26	1,0	149,4	264,3	2,3	6,0	155677	130043
23-09-26	1,0	152,6	249,2	2,6	6,2	156456	128675
24-09-26	1,4	148,3	255,0	2,5	5,9	155069	130678
25-09-26	8,3	154,2	212,2	2,6	5,6	160026	137480
26-09-26	11,8	152,8	199,3	2,5	5,7	163365	139403
27-09-26	0,8	163,5	206,3	2,4	6,0	166859	139489
28-09-26	0,9	167,4	267,3	2,3	6,4	164514	133606
29-09-26	0,9	159,2	284,7	2,3	6,1	164251	135980
30-09-26	0,9	161,8	270,7	2,2	6,1	162734	135410
min	0,8	145,8	90,0	2,0	5,6	147132	108707
max	11,8	170,8	496,6	2,8	8,2	166859	139489
AVG	2,6	157,2	273,7	2,4	6,7	155916	123932
-----	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	238,6	14023,0	24338,2	213,8	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57) calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-09-2026 to 30-09-2026

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	50			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	14,6	47,7	95,7	7,9	1,7	162088	176912
02-09-26	14,0	48,1	87,2	7,3	1,7	160336	175306
03-09-26	12,8	51,7	92,2	7,7	1,7	159689	174387
04-09-26	15,5	48,6	110,8	9,1	1,8	162852	177186
05-09-26	14,3	49,9	111,2	7,2	1,8	164542	178767
06-09-26	19,9	47,9	123,1	6,3	1,6	168892	185350
07-09-26	13,5	49,1	126,4	6,3	1,6	171626	187779
08-09-26	12,0	48,6	118,7	6,6	1,6	160235	175801
09-09-26	12,4	49,2	109,5	8,1	1,7	157424	172243
10-09-26	13,1	50,0	141,5	8,2	1,7	156360	170853
11-09-26	12,3	49,5	171,4	7,8	1,7	158597	173626
12-09-26	15,9	47,9	257,4	6,5	1,5	161329	178176
13-09-26	17,3	51,4	317,0	6,7	1,6	160049	176189
14-09-26	11,6	51,4	313,6	6,3	1,6	161769	177969
15-09-26	24,3	49,0	203,0	8,1	1,7	161276	176230
16-09-26	14,4	41,8	148,8	7,2	1,5	156280	172642
17-09-26	13,0	49,4	138,9	7,9	1,6	157906	173368
18-09-26	12,4	50,1	124,1	7,7	1,6	157796	173363
19-09-26	12,1	49,7	86,5	8,0	1,5	158668	174904
20-09-26	12,3	50,1	58,0	8,7	1,6	156764	172184
21-09-26	12,5	52,5	51,7	9,5	1,7	157873	172619
22-09-26	11,8	50,4	38,6	8,7	1,6	157465	173279
23-09-26	11,3	53,3	34,3	9,0	1,6	158236	173407
24-09-26	10,6	56,8	40,9	9,6	1,8	164945	179292
25-09-26	14,9	49,1	38,0	8,8	1,7	164760	180072
26-09-26	16,8	44,8	44,4	7,2	1,7	172205	188310
27-09-26	17,0	45,6	40,8	7,1	1,9	172090	186273
28-09-26	18,1	46,4	74,4	7,2	1,8	170232	185260
29-09-26	15,8	45,3	57,6	6,1	1,7	173439	189254
30-09-26	16,4	44,8	50,0	6,0	1,7	175187	191205
min	10,6	41,8	34,3	6,0	1,5	156280	170853
max	24,3	56,8	317,0	9,6	1,9	175187	191205
AVG	14,4	49,0	113,5	7,6	1,7	162697	178074
-----	kg/mon	kg/mon	kg/mon	kg/mon	-----	-----	-----
EMI	1858,5	6275,8	14494,4	975,3	-----	-----	-----

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57)

calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58)

calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-09-2026 to 30-09-2026

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	26			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	3,3	102,3	5,1	0,2	5,5	87053	77915
02-09-26	3,5	119,7	5,5	0,3	6,3	88240	74688
03-09-26	3,4	111,7	5,3	0,3	6,1	83835	71968
04-09-26	2,4	108,1	5,0	0,3	5,6	84080	74595
05-09-26	3,4	94,2	4,5	0,2	4,9	85340	79194
06-09-26	3,8	99,4	4,4	0,2	5,0	89728	82753
07-09-26	3,3	92,8	4,3	0,2	5,1	88699	81435
08-09-26	3,5	93,9	4,3	0,2	5,3	86897	78482
09-09-26	3,7	92,7	5,3	0,2	5,3	84523	76744
10-09-26	3,4	97,1	4,1	0,2	4,9	87040	80857
11-09-26	3,6	95,4	3,7	0,2	4,8	89296	83368
12-09-26	3,6	92,3	3,4	0,2	4,4	90510	86496
13-09-26	3,7	87,0	3,8	0,2	4,0	94028	91987
14-09-26	3,6	83,6	4,4	0,2	3,8	93596	92752
15-09-26	3,5	89,8	3,8	0,2	4,0	95227	93021
16-09-26	3,6	85,3	4,2	0,2	4,1	92586	90104
17-09-26	3,5	86,4	3,8	0,2	4,1	91008	88353
18-09-26	3,5	89,1	3,9	0,2	4,1	92236	89430
19-09-26	3,7	92,5	4,0	0,2	4,4	92194	87867
20-09-26	3,8	99,8	4,8	0,2	5,4	88302	79246
21-09-26	3,7	105,9	4,2	0,3	5,5	86894	77620
22-09-26	3,5	109,7	4,3	0,3	6,2	86134	73467
23-09-26	3,4	112,4	4,1	0,3	6,3	86062	72756
24-09-26	3,4	102,1	4,3	0,3	5,6	85666	75974
25-09-26	3,4	108,3	4,4	0,3	5,9	85875	74564
26-09-26	3,5	106,0	4,8	0,3	5,9	85157	74297
27-09-26	3,7	109,5	4,2	0,3	5,9	85918	74565
28-09-26	3,6	94,2	3,6	0,2	4,7	87075	81751
29-09-26	3,3	89,1	3,9	0,2	4,3	88461	85200
30-09-26	3,4	93,2	4,3	0,2	4,6	87644	82724
min	2,4	83,6	3,4	0,2	3,8	83835	71968
max	3,8	119,7	5,5	0,3	6,3	95227	93021
AVG	3,5	98,1	4,3	0,2	5,1	88310	81139
	kg/mon	kg/mon	kg/mon	kg/mon			
EMI	204,3	5694,4	250,9	13,5			

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57)

calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58)

calculated in proportion in every measurement point determined flow rate.

Monthly-Protocol from 01-09-2026 to 30-09-2026

Daily averages

	CO	NO ₂ *	SO ₂ **	Dust	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	100	256.39 *	1482.34**	50			
Time	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	40,7	284,4	1426,4	32,3	7,0	294795	235063
02-09-26	0,3	296,5	1371,9	39,8	6,8	251346	201303
03-09-26	0,0	369,5	1282,3	43,3	6,5	205465	169218
04-09-26	0,6	288,3	977,5	25,1	6,8	186535	150056
05-09-26	0,1	292,7	758,6	12,5	7,0	189874	150885
06-09-26	0,0	250,4	682,0	19,0	6,9	182291	145942
07-09-26	0,0	324,6	768,5	17,6	7,0	203114	161561
08-09-26	0,0	317,7	804,7	25,8	7,0	192237	152835
09-09-26	0,0	384,7	838,6	19,3	6,7	212729	173201
10-09-26	0,2	301,5	1076,9	20,8	7,1	189214	149541
11-09-26	8,1	323,0	1095,4	30,6	7,2	231198	176252
12-09-26	5,2	288,4	1305,4	2,8	4,9	207922	185755
13-09-26	4,2	276,9	1220,3	0,0	4,9	199170	179038
14-09-26	0,3	399,5	1422,1	0,0	4,3	261235	242651
15-09-26	0,0	344,0	1313,0	0,0	4,9	218667	196948
16-09-26	0,0	254,9	1061,6	0,0	4,7	171623	155921
17-09-26	0,0	292,2	1225,4	0,0	5,2	174424	154168
18-09-26	0,4	305,2	1249,2	0,0	5,3	167249	147155
19-09-26	1,8	318,0	1377,4	0,0	5,1	162374	144029
20-09-26	0,0	271,8	1125,2	0,0	4,9	159181	143752
21-09-26	0,0	293,0	1299,1	0,0	4,9	154652	139008
22-09-26	2,6	356,7	1422,9	0,0	4,8	189836	171924
23-09-26	0,3	379,5	1535,5	0,0	4,9	196270	176454
24-09-26	0,8	376,6	1442,7	0,0	4,8	205980	185541
25-09-26	0,2	346,6	1247,0	0,0	5,0	193786	172939
26-09-26	0,0	301,4	1219,5	0,0	5,3	165614	145394
27-09-26	2,0	301,3	1230,9	0,0	5,2	161584	142672
28-09-26	0,1	310,3	970,3	0,0	5,7	163814	140448
29-09-26	0,2	286,1	980,6	0,0	5,0	162401	145372
30-09-26	1,1	298,9	934,1	0,0	4,8	170690	154264
min	0,0	250,4	682,0	0,0	4,3	154652	139008
max	40,7	399,5	1535,5	43,3	7,2	294795	242651
AVG	2,3	314,5	1155,5	25,8	5,7	194176	166310
	kg/mon	kg/mon	kg/mon	kg/mon			
EMI	358,0	38773,3	141852,3	1199,8			

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

* single measured value of nitrogen dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157) according BAT 57)

calculated in proportion in every measurement point determined flow rate.

** single measured value of sulphur dioxide is given in general for all concerned

units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58)

calculated in proportion in every measurement point determined flow rate.

SGI-1, kaminas (poz. SGI-1ch). T.š. 015

Monthly-Protocol from 01-09-2026 to 30-09-2026

Daily averages

	SO ₂	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	1482.34**			
Time	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	18728,3	2,8	15973	9080
02-09-26	22275,1	3,4	18189	11489
03-09-26	19204,5	2,2	14581	7884
04-09-26	18334,3	2,6	18393	10652
05-09-26	19864,8	2,4	17181	9275
06-09-26	18774,0	2,4	16558	9159
07-09-26	18394,9	2,3	15409	8950
08-09-26	19000,5	2,7	17241	9425
09-09-26	18709,4	2,9	17971	9300
10-09-26	21162,7	2,9	20589	15236
11-09-26	23474,1	4,3	19978	20025
12-09-26	26443,2	4,8	22903	21986
13-09-26	26067,4	4,1	24050	23975
14-09-26	20673,9	4,5	21893	21574
15-09-26	18480,4	4,6	18436	18350
16-09-26	18779,7	5,0	17753	17756
17-09-26	18762,7	4,0	23019	23135
18-09-26	18260,6	4,3	24110	23809
19-09-26	19801,7	5,8	18705	17170
20-09-26	19611,1	4,9	17093	16792
21-09-26	19565,1	4,7	17802	17667
22-09-26	21294,3	5,3	14144	13772
23-09-26	20904,5	3,6	15494	12395
24-09-26	20463,4	3,2	17686	10041
25-09-26	20246,7	2,4	15776	8706
26-09-26	20135,0	2,4	15157	8526
27-09-26	20416,3	2,1	15479	9416
28-09-26	19790,0	3,1	20089	12682
29-09-26	20530,0	3,1	17002	9813
30-09-26	20163,2	2,8	16625	9882
min	18260,6	2,1	14144	7884
max	26443,2	5,8	24110	23975
AVG	20277,0	3,5	18176	13931
	kg/mon			
EMI	206682,5			

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

SGI-2, kaminas (poz. SGI-2ch). T.š. 108

Monthly-Protocol from 01-09-2026 to 30-09-2026
Daily averages

	SO ₂	O ₂	Flow	Flow O ₂
Limit value mg/Nm ³	1482.34**			
Time	mg/Nm ³	Vol%	Nm ³ /h	Nm ³ /h
01-09-26	20096,5	6,4	14109	11890
02-09-26	19146,6	7,9	13022	9900
03-09-26	24606,6	6,3	18193	15308
04-09-26	18002,7	6,3	16090	13709
05-09-26	18270,4	5,6	16516	14693
06-09-26	19143,4	6,3	17235	14567
07-09-26	22202,2	7,3	18809	14798
08-09-26	19938,4	6,8	18580	15098
09-09-26	19308,5	6,9	18167	14656
10-09-26	20453,7	6,7	18433	15178
11-09-26	19885,7	6,1	15335	13194
12-09-26	20708,9	4,8	16771	15578
13-09-26	20459,6	4,8	16849	15740
14-09-26	20522,0	5,1	16402	15023
15-09-26	20199,9	7,3	14885	11793
16-09-26	19812,0	7,4	14588	11465
17-09-26	20125,4	4,4	15241	10594
18-09-26	18725,7	2,8	14844	9117
19-09-26	16998,5	3,7	14010	7404
20-09-26	15580,0	4,7	13059	5771
21-09-26	16006,4	4,5	12767	6122
22-09-26	16250,6	4,9	12527	5830
23-09-26	17960,3	4,3	13017	6629
24-09-26	18924,7	3,5	14889	8998
25-09-26	17635,0	4,3	14246	7735
26-09-26	18434,9	4,0	14463	8065
27-09-26	18910,0	4,5	14152	7466
28-09-26	20754,9	2,9	15403	9955
29-09-26	19517,0	3,7	14732	9284
30-09-26	19216,9	4,3	14437	8900
min	15580,0	2,8	12527	5771
max	24606,6	7,9	18809	15740
AVG	19259,9	5,3	15392	11149
	kg/mon			
EMI	157941,3			

(N)odata (M)aintenance (E)rror (F)ault (-)Out of Operation

(X) No Daily-average (L) Month-Limit-value-Overflow (Emi)ssion per month

** single measured value of sulphur dioxide is given in general for all concerned units ((No. 001, 006, 100_1, 301, 100_2, 104, 011, 157, 015, 108) according BAT 58) calculated in proportion in every measurement point determined flow rate.

Apibendrinta SO₂ vertė pagal 58 GPGB, (SO₂ bubble concerned units)

Monthly-Protocol from 01-09-2026 to 30-09-2026

daily averages

	SO ₂ BAT58	Flow O ₂ BAT58
Limit value, mg/Nm ³	1482.34 **	
Time	mg/Nm ³	Nm ³ /h
01-09-26	837,8	934568
02-09-26	886,9	862259
03-09-26	976,0	813713
04-09-26	767,9	839834
05-09-26	694,7	889120
06-09-26	677,4	891535
07-09-26	748,7	901543
08-09-26	749,7	882468
09-09-26	752,5	901442
10-09-26	1015,3	889037
11-09-26	1089,8	917805
12-09-26	1351,3	923407
13-09-26	1358,4	937917
14-09-26	1231,1	998781
15-09-26	970,7	956089
16-09-26	895,2	900287
17-09-26	1017,2	898657
18-09-26	968,5	891882
19-09-26	790,9	917138
20-09-26	721,0	883130
21-09-26	775,1	878317
22-09-26	734,9	933340
23-09-26	762,6	917624
24-09-26	740,4	939097
25-09-26	619,2	927342
26-09-26	597,8	906782
27-09-26	620,6	892952
28-09-26	736,3	888262
29-09-26	637,3	915078
30-09-26	618,5	920729
min	597,8	813713
max	1358,4	998781
AVG	844,8	905004
-----	kg/mon	-----
EMI	552039,7	-----

(N)o data (M)aintenance (E)rror (F)ault (S)ubstitute Value (-)Out of operation

(X) No Daily-average (L) Month-Limit-value-Overflow

** single measured value of sulphur dioxide is given in general for all

concerned units ((No. 001,006,301,100_1,100_2,104,011,157,015,108) according BAT 58)

and is calculated in proportion in every measurement point determined flow rate.

Apibendrinta NOx verte pagal 57 GPGB, (NOx bubble concerned units)

Monthly-Protocol from 01-09-2026 to 30-09-2026
daily averages

	NO ₂ BAT57	Flow O ₂ BAT57
Limit value, mg/Nm ³	256.39 *	
Time	mg/Nm ³	Nm ³ /h
01-09-26	160,0	913598
02-09-26	155,9	840870
03-09-26	170,7	790521
04-09-26	148,8	815472
05-09-26	149,1	865152
06-09-26	143,8	867809
07-09-26	159,8	877795
08-09-26	156,8	857945
09-09-26	174,7	877486
10-09-26	152,3	858624
11-09-26	164,7	884586
12-09-26	156,3	885843
13-09-26	153,4	898201
14-09-26	187,8	962184
15-09-26	169,1	925946
16-09-26	139,4	871066
17-09-26	147,7	864928
18-09-26	152,1	858956
19-09-26	155,1	892565
20-09-26	147,2	860566
21-09-26	150,9	854528
22-09-26	171,4	913738
23-09-26	178,4	898600
24-09-26	174,9	920057
25-09-26	166,8	910900
26-09-26	149,6	890191
27-09-26	154,4	876070
28-09-26	152,8	865625
29-09-26	145,5	895982
30-09-26	149,5	901947
min	139,4	790521
max	187,8	962184
AVG	158,0	879925
-----	kg/mon	-----
EMI	100456,3	-----

(N)o data (M)aintenance (E)rror (F)ault (S)ubstitute Value (-)Out of operation

(X) No Daily-average (L) Month-Limit-value-Overflow

* single measured value of nitrogen oxides is given in general for all

concerned units ((No. 001,006,301,100_1,100_2,104,011,157) according BAT 57)

and is calculated in proportion in every measurement point determined flow rate.